

**DRINKING WATER BACTERIOLOGICAL CHAIN OF CUSTODY**

COMPANY:			ADDRESS:						ANALYSIS REQUESTED				Visit our website <a href="http://www.aesatlanta.com">www.aesatlanta.com</a> for downloadable COCs and to log in to your AESAccess account.		Number of Containers
PHONE:			EMAIL:												
SAMPLED BY:			SIGNATURE:												
#	SAMPLING POINT NAME	SAMPLING POINT ID#	PWS ID#	SAMPLE TYPE	SAMPLED:		MATRIX (see codes)	Free Chlorine mg/L	Total Chlorine mg/L	PRESERVATION (see codes)				REMARKS	
					DATE	TIME									
1															
2															
3															
4															
5															
6															
7															
8															
9															
10															
11															
12															
RELINQUISHED BY:		DATE/TIME:		RECEIVED BY:		DATE/TIME:		PROJECT INFORMATION				RECEIPT			
1.				1.				PWS NAME:				Total # of Containers			
2.				2.				PWS ID #:				Turnaround Time (TAT) Request <input type="checkbox"/> Standard <input type="checkbox"/> 2 Business Day Rush <input type="checkbox"/> Next Business Day Rush <input type="checkbox"/> Other _____			
3.				3.				PWS ADDRESS:							
SPECIAL INSTRUCTIONS/COMMENTS:				SHIPMENT METHOD				SEND REPORT TO:							
				DATE OUT: / /		DATE IN: / /		INVOICE TO (IF DIFFERENT FROM ABOVE):							
				<input type="checkbox"/> Client		<input type="checkbox"/> FEDEX		<input type="checkbox"/> UPS		<input type="checkbox"/> US Mail					
				<input type="checkbox"/> Courier		<input type="checkbox"/> Other		QUOTE #: _____ PO#: _____							
Submission of samples to the laboratory constitutes acceptance of AES's Terms & Conditions. Client assumes sole responsibility for damage or loss of samples before we accept them. Samples received after 3PM or on Saturday are considered as received the following business day. If no TAT is marked on COC, AES will proceed with standard TAT. Samples are disposed of 30 days after completion of report unless other arrangements are made.															

Sample Type: RT = Routine SP=Special

Matrix Codes: GW = Groundwater SW = Surface Water DW = Drinking Water O = Other (specify)

 Preservative Codes: I = Ice only NS=Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> O = Other (specify) NA = None